



Quick Couplers



- Precision brass design
- Unrestricted free flow
- 4000 PSI



- Zinc plated
- Hardened steel
- 4000 PSI



- Chemical resistant
- 303 stainless steel
- 5500 PSI



- Chemical resistant
- 303 stainless steel
- 5500 PSI

Brass Couplers, designed for 4000 PSI and extended durability. Affordable and rugged all in one.

Part No.	Description
826169	1/4" FNPT
826176	3/8" FNPT

Part No.	Description
826170	1/4" MNPT
2-2003	3/8" MNPT

Zinc Plated Plugs, hardened steel combined with zinc yellow chromate plating holds up to the harshest environments.

Part No.	Description
915776	1/4" FNPT
915774	3/8" FNPT

Part No.	Description
915786	1/4" MNPT
844806	3/8" MNPT

Stainless Steel Couplers, made of 303 stainless steel.

Part No.	Description
826157	1/4" FNPT
826159	3/8" FNPT

Part No.	Description
826158	1/4" MNPT
826160	3/8" MNPT

Stainless Steel Plugs, provides long life against corrosion.

Part No.	Description
915757	1/4" FNPT
915759	3/8" FNPT

Part No.	Description
915758	1/4" MNPT
915760	3/8" MNPT

Parker Quick Couplers



- Best name in the industry
- High quality brass construction
- 3500 PSI



- Hardened steel
- Zinc plated
- The industry leader
- 3500 PSI



- Corrosion resistant
- Chemical resistant
- 5500 PSI max



- Chemical resistant
- 5500 PSI max

Parker Brass Couplers are built to stringent standards to provide a durable, safe connection.

Part No.	Description
844850	1/4" FNPT
844852	3/8" FNPT
826173	1/2" FNPT

Part No.	Description
844851	1/4" MNPT
844853	3/8" MNPT

Parker Steel Quick Coupler Plugs, are hardened and zinc-plated to provide superior durability.

Part No.	Description
844856	1/4" FNPT
844858	3/8" FNPT
915783	1/2" FNPT

Part No.	Description
844857	1/4" MNPT
844859	3/8" MNPT
915186	1/2" MNPT

Parker Stainless Steel Quick Couplers, are corrosion resistant.

Part No.	Description
826171	1/4" FNPT
826159	3/8" FNPT
826172	1/2" FNPT

Part No.	Description
826183	3/8" MNPT

Parker Stainless Steel Quick Plugs, have higher working pressure than hardened steel.

Part No.	Description
915777	1/4" FNPT
915780	3/8" FNPT
915784	1/2" FNPT

Part No.	Description
915638	3/8" MNPT



AP Quick Couplers



Brass Couplers give Premium Performance with Economy Price. AP Quick Connect Couplings are machined from top grade materials to the same exacting specifications as the high cost performance leaders. We have gone a step further to ensure that AP Quick Couplers can withstand high temperature, high pressure and aggressive chemicals by including Viton O-Rings as standard.

Compare the performance-Compare the price!

Part No. - MPT	Part No. - FPT	Description
331015V	331016V	1/4" Socket, Brass Coupler
331020V	331021V	3/8" Socket, Brass Coupler
331115V	331116V	1/4" Plugs, Steel, Zinc-plated
331120V	331121V	3/8" Plugs, Steel, Zinc-plated

O-Rings



O-Rings for Hotsy, AP, Hansen, Foster, Parker, and other quick-coupler brands. Buna to 210°F, EPDM to 280°F and Viton to 300°F and aggressive chemicals.

Part No.	QC
075033	1/8" EPDM
926515	1/4" EPDM
926516	3/8" EPDM
ORE114	1/2" EPDM

Part No.	QC
926501	1/4" Buna
926502	3/8" Buna
926505	1/2" Buna
075042	1/4" Viton
075041	3/8" Viton
075040	1/2" Viton

Hansen Quick Connective Couplers



Built by the company that invented Quick Connective Couplers in 1915. Designed and built to perform even in the toughest pressure washing applications.

- Precision performance
- Unrestricted bore for free flow
- Resists plug deformation when pressure spikes occur and withstands pump pulse

Pressure Rating Service

Series	W/Steel Plug PSI	W/Brass Plug PSI	W/Stainless Steel PSI
1/8"	2,600	2,500	4,200
1/4"	5,500	5,200	6,700
3/8"	3,500	2,700	5,500
1/2"	2,700	2,200	3,000
3/4"	1,700	1,700	1,700

Part No. - MPT	Part No. - FPT	Description
331010	331011	1/8" Brass Coupler Socket
331015	331016	1/4" Brass Coupler Socket
331020	331021	3/8" Brass Coupler Socket
331025	331026	1/2" Brass Coupler Socket
331045	331044	3/4" Brass Coupler Socket
331012		1/8" SS Coupler Socket
	331017	1/4" SS Coupler Socket
	331413	3/8" SS Coupler Socket
	331031	1/2" SS Coupler Socket
331110	331111	1/8" Plugs, Steel, Zinc-plated
331115		1/4" Plugs, Steel, Zinc-plated
	331116	1/4" Plugs, Steel, Zinc-plated
331120		3/8" Plugs, Steel, Zinc-plated
	331121	3/8" Plugs, Steel, Zinc-plated
331125		1/2" Plugs, Steel, Zinc-plated
	331126	1/2" Plugs, Steel, Zinc-plated
331127		3/4" Plugs, Steel, Zinc-plated
	331144	3/4" Plugs, Steel, Zinc-plated
331117		1/4" Plugs, Hardened SS
	331118	1/4" Plugs, Hardened SS
331122		3/8" Plugs, Hardened SS
	331123	3/8" Plugs, Hardened SS
331112		1/2" Plugs, Hardened SS
	331113	1/2" Plugs, Hardened SS

HOTSY Twist Quick Couplers



- Precision brass design
- Unrestricted free flow
- 4000 PSI max

Swivels, designed for 4000 PSI and extended durability. Affordable and rugged all in one.

Part No.	Description
826301	1/4" FNPT
826300	3/8" FNPT
826304	1/2" FNPT

Part No.	Description
826303	1/4" MNPT
826302	3/8" MNPT
826305	1/2" MNPT



- Zinc plated
- Hardened steel
- 4000 PSI max

Zinc Plated Nipples, hardened steel combined with zinc yellow chromate plating holds up to the harshest environments.

Part No.	Description
826291	1/4" FNPT
826290	3/8" FNPT
826294	1/2" FNPT

Part No.	Description
826293	1/4" MNPT
826292	3/8" MNPT
826295	1/2" MNPT

Replacement O-rings, for HOTSY twist coupler, Buna-n.

Part No.	Description
926660	Replacement O-ring

Two-Gun Tee Coupler



Two-Gun Tee Coupler makes switching from one gun to two a snap. 3/8" quick coupler fittings good up to 4000 PSI.



- For use with dual gun systems
- Couples onto outlet nipple
- 3/8" couplers

Part No.	Description
2-2014	Two Gun Splitter

Spring Clamps



Spring tension, speed mount clamps

Part No.	Description
823988	Spring Clamps - .46 - .54
823989	Spring Clamps - .40 - .48

Hose Clamps

Warning: Low pressure use only! Not for use on pressure washer discharge hose.



- Stainless steel band and housing
- Worm gear tensions



- Nylon "Speedi-Clamp" tightens with a snap
- Releases with a twist

Part No.	Band	OD	Min - Max
823911	4mm	5/16"	.25 - .63
823938	5mm	5/16"	.38 - .88
631009	10mm	5/16"	.50 - 1.06
358015	H8	1/2"	.44 - .91
358018	H10	1/2"	.56 - 1.06
358019	H12	1/2"	.69 - 1.25
823935	H16	1/2"	.75 - 1.50
358022	H24	1/2"	1.06 - 2.00
358024	H32	1/2"	1.56 - 2.50

358001X*	1/4" ID Speedi-Clamps
358004X*	3/8" ID Speedi-Clamps
358006X*	1/2" ID Speedi-Clamps

*50 Pack

Twist Seal Couplers

Allows U.S. Standard Hoses to Connect to European (22mm) Fittings.

- Internal O-ring seal
- Machined brass body
- High-impact plastic knob
- 7.8 GPM
- 3600 PSI
- 302°F



Part No.	Description
331205	1/4" FPT
331207	3/8" FPT
331204	1/4" MPT
331206	3/8" MPT

Plugs are made of heavy-duty machined brass for a safe and leak free connection.



Part No.	Description
331305	1/4" FPT
331307	3/8" FPT
331304	1/4" MPT
331306	3/8" MPT

O-rings, viton

Part No.	Description
109286	O-rings (Viton)

Double Quality Twist Seal Couplers



Couples U.S. Standard Pipe Threads to 22mm European Fittings Found on Imported Pressure Washer.

- Internal O-ring with back ring seal assures no-leak operation
- Oversized high-impact plastic knob
- Machined brass body
- 7.8 GPM
- 4000
- 302°F
- 3.9 to 4.2 oz weight



Sockets

Part No.	Description
331205PA	1/4" FPT
331207PA	3/8" FPT
331209PA	1/2" FPT



Plugs

331204PA	1/4" MPT
331206PA	3/8" MPT
331208PA	1/2" MPT



O-rings

Part No.	Description
331305PA	1/4" FPT
331307PA	3/8" FPT
331309PA	1/2" FPT
331304PA	1/4" MPT
331306PA	3/8" MPT
331308PA	1/2" MPT

Part No.	Description
109286	O-rings (Viton)
109287	Back Ring

11,000 PSI Quick Couplers

Snaptite Quick Sockets and Plugs are precision built for extreme high pressure.

- 11,000 PSI
- -40°F to 250°F
- Zinc Chromate



Part No.	Description
2-20023	1/4" FPT Socket
2-200231	1/4" MPT Socket
2-20021	3/8" FPT Socket
2-20024	1/4" FPT Plug
2-20028	1/4" MPT Plug
2-20022	3/8" FPT Plug
2-20027	3/8" MPT Plug

Replacement "U" Packing Seals

2-0132	1/4" Snaptite
2-01321	3/8" Snaptite

Double Shut-Off Couplers & Plugs



331501

331401

- Quick disconnect without drips and leaks
- Indispensable for in-plant multiple station systems
- Machined construction brass, zinc plated steel or stainless steel

Part No.	Description	PSI
331401	1/8" FPT Socket (Brass)	3000
331405	1/4" FPT Socket (Brass)	2700
331406	3/8" FPT Socket (Stl Zinc)	3700
331407	3/8" FPT Socket (Brass)	2200
331408	1/2" FPT Socket (Brass)	2250
331409	1/2" FPT Socket (SS)	4250
331410	3/4" FPT Socket (Brass)	2000
331501	1/8" FPT Plugs (Brass)	3000
331505	1/4" FPT Plugs (Brass)	2700
331507	3/8" FPT Plugs (Brass)	2200
331508	1/2" FPT Plugs (Brass)	2250



- Nitrile up to 210°F
- Use Viton for 230°F and above

Replacement O-rings

ORN013	O-ring 1/8" Nitrile
ORN110	O-ring 1/4" Nitrile
ORN112	O-ring 3/8" Nitrile
ORN114	O-ring 1/2" Nitrile
ORV110	O-ring 1/4" Viton
ORV112	O-ring 3/8" Viton
ORV114	O-ring 1/2" Viton

90° Swivels

Excellent for Carwash Booms and Hose Reels. Remarkable value, comparable to best swivels made.



- Machined Brass Body
- 4000 PSI
- 225°F

Part No.	Description
421043	3/8" M x 3/8" F
421044	3/8" F x 3/8" F
421045	1/2" M x 1/2" F
421046	1/2" F x 1/2" F
421047	1/2" M x 3/8" F
110025	Repair Kit

Swivels - Right Angle



- 360° swivel rotation
- 3/8" MPT inlet/outlet
- 4000 PSI - Brass
- 5000 PSI - SS

Part No.	Description
421018	Swivel - Stainless Steel 3/8"
421020	Swivel - Brass 3/8"
421019	Swivel - Brass 1/2"
075130	Repair Kit - 3/8"
075128	Repair Kit - 1/2"

Stainless Steel High Pressure & Economy Brass Swivels




- 10.5 GPM (SS)
- 7.8 GPM (brass)
- 320°F (SS)
- 195°F (brass)
- Highly resistant to harsh chemicals
- "Live" swivel at full pressure
- 6 oz weight

Part No.	Description
876048	Swivel - 1/4" M x F
875455	Swivel - 3/8" M x F
722939	Swivel - 3/8" M x F
109542	Repair Kit

Gun Swivel



Made of corrosion-resistant material and stainless steel self-lubricated bearings the new gun swivel offers highest quality Swiss made craftsmanship.



- 4000 PSI
- 250°F temperature
- 30 RPM

Part No.	Description
421057	Gun Swivel DGV - 1/4" NPTF
421056	Gun Swivel DVG - 3/8" NPTF

Swivels



- Swivels even at 3000 PSI
- Brass housing
- Stainless steel flow-through bolt
- Close tolerance fit assures leakproof seal
- Teflon® ring provides free swivel

Part No.	Description
421010A	3/8" MPT x FPT, Plated*
421012A	3/8" FPT x FPT, Plated*
421014	3/8" MPT x FPT, Brass
421015	3/8" FPT x FPT, Brass
109198	Seal Kit
109199	Rebuild Kit

*Heavy Nickel Plate for added chemical resistance

Stainless Steel Swivels



- Swivels even at 4000 PSI
- 200°F
- All stainless construction
- Teflon® swivel ring
- Rebuildable
- 3/8" in and out

Part No.	Description
421016	3/8" MPT x FPT
421017	3/8" FPT x FPT
109198	Seal Kit
109199	Rebuild Kit

Swivels - Ball Bearing



Swivels freely even at maximum pressure level noted below.



- MPT x FPT all sizes
- Brass and Stainless Steel materials

Part No.	Description	PSI
421004	1/4"	2000
421005	1/4"	3500
421006	3/8"	2000
421007	3/8"	3500
421080	1/4" 90°	3500
075060	Repair Kit	

Swivels - Stainless Steel Ball Bearing



- Hardened stainless steel body
- Nitrile Buna seals
- 3500 PSI
- 180°F
- M x F NPT thread
- Ball-bearing design ensures free swivel action under pressure
- Suitable for extended wear application

Part No.	Description
421034	1/4", 6.8 GPM
076102	Repair Kit for 421034
421036	3/8", 10.6 GPM
076101	Repair Kit for 421036
875456	1/2", 27.0 GPM
076103	Repair Kit for 421038
875457	1/4" Vitron, 350°F
875458	3/8" Vitron, 350°F
875459	1/2" Vitron, 350°F

Adapters - Brass



Part No.	FPT x MPT	Part No.	FPT x MPT
140651	1/8" x 1/8"	140657	1/2" x 1/4"
600196	1/4" x 1/8"	600076	1/2" x 3/8"
722812	1/4" x 1/4"	600198	1/2" x 1/2"
140650	3/8" x 1/8"	140660	3/4" x 1/2"
615279	3/8" x 1/4"	140662	3/4" x 3/4"
602060	3/8" x 3/8"		

Bushings - Brass



Part No.	MPT x FPT	Part No.	MPT x FPT
722746	1/4" x 1/8"	722751	1/2" x 3/8"
722749	1/2" x 1/8"	722739	3/4" x 3/8"
722747	3/8" x 1/8"	722740	3/4" x 1/2"
110185	3/8" x 1/4"	722742	1" x 3/8"
722750	1/2" x 1/4"		

Hex Couplings - Brass



Part No.	FPT	Part No.	FPT
722730	1/8"	722733	1/2"
722731	1/4"	140462	3/4"
722732	3/8"		

Reducing Hex Couplings - Brass



Part No.	FPT x FPT	Part No.	FPT x FPT
140502	1/4" x 1/8"	722738	1/2" x 3/8"
722736	3/8" x 1/4"	722734	3/4" x 1/2"
140505	1/2" x 1/4"		

JIC Nipples



Part No.	Description	Material
860619	1/8" JIC x 3/8" MPT	Brass
799419	1/2" JIC x 1/2" MPT	Brass
898111	1/2" JIC x 3/8" FPT	Steel
799515	1/2" JIC x 3/8" MPT	Steel

Hex Double Nipples - Brass



Part No.	MPT x MPT	Part No.	MPT x MPT
140752	1/8" x 1/8"	898129	1/2" x 1/2"
722770	1/4" x 1/4"	140762	3/4" x 3/4"
110131	3/8" x 3/8"	140764	1" x 1"

Noed Anchor Connectors



Part No.	Description	Mounting Hole Dia
631017	1/4"	3/4"
631007	3/8"	1"
631008	1/2"	1-1/8"

Hex Reducing Nipples - Brass



Part No.	MPT x MPT	Part No.	MPT x MPT
722771	1/4" x 1/8"	140757	1/2" x 1/4"
140751	3/8" x 1/8"	722774	1/2" x 3/8"
722773	3/8" x 1/4"	877455	3/4" x 1/2"

Nipples - Brass



Close Nipple

Part No.	Description	Part No.	Description
140702	1/8" Close	698200	1/4" x 2-1/2"
140710	1/4" Close	140721	3/8" x 1-1/2"
897956	3/8" Close	140723	3/8" x 2-1/2"
897952	1/2" Close	898037	3/8" x 3"
140740	3/4" Close	140731	1/2" x 1-1/2"
140703	1/8" x 1-1/2"	140733	1/2" x 3"
140705	1/8" x 2-1/2"	140742	3/4" x 2"
140711	1/4" x 1-1/2"	140744	3/4" x 3"
140712	1/4" x 2"		

90° Elbows - Brass



Part No.	Description
661363	1/4" x 1/8" FPT
140552	1/8" FPT
844619	1/4" FPT
844623	3/8" FPT
844629	1/2" FPT
140562	3/4" FPT
140584	1/4" x 1/4" MPT
140586	3/8" x 3/8" MPT
140588	1/2" x 1/2" MPT

90° JIC Elbows - Brass



Part No	Description
661354	1/4" JIC x 3/8" MPT
661368	1/2" JIC x 3/8" FPT
661355	1/2" JIC x 1/2" MPT
644601	3/8" JIC x 1/2" MPT
661300	3/4" JIC x 3/4" MPT

90° Reducing Elbows - Brass



Part No	Description
140575	1/4" F x 1/8" F
140577	3/8" F x 1/4" F
661363	1/4" x 1/8" MPT
140582	3/8" x 1/8" MPT
140585	3/8" x 1/4" MPT
140587	1/2" x 3/8" MPT

Street Elbows - Brass



Part No.	Description
661403	1/8" M x F - 90°
844778	1/4" M x F - 90°
140606	3/8" M x F - 90°
844758	1/2" M x F - 90°
844760	3/4" M x F - 90°



140632	1/8" M x F - 45°
722800	1/4" M x F - 45°
722801	3/8" M x F - 45°
722802	1/2" M x F - 45°
140642	3/4" M x F - 45°

Extruded or Forged Tees - Brass



Part No.	Description
140852	1/8" F
722792	1/4" F
954812	3/8" F
140858	1/2" F
140862	3/4" F

Male Branch Tees - Brass



Part No.	Description
722804	1/4"
890789	3/8"
140879	1/2"

Street Tees - Brass



Part No.	Description
2-10391	1/8"
722808	1/4"
110273	3/8"
954717	1/2"
140890	3/4"

Female Crosses - Brass Extruded



Part No.	Description
140664	1/4"
140666	3/8"
640001	1/2" Cast
140668	1/2"
140672	3/4"

Check Hose Barbs - Brass



Part No.	Description
385128	Viton
385129	Buna

- 1/4" MPT X 1/4" barb
- Buna or Viton check ball

Hose Barbs - Brass



90° Barb x MPT



Straight Barb x MPT

Part No.	Barb x MPT	Part No.	Barb x MPT
90° Barb		90° Barb	
799489	1/4" x 1/8"	140375	1/2" x 1/4"
799502	1/4" x 1/4"	140376	1/2" x 3/8"
799501	3/8" x 1/4"	140377	1/2" x 1/2"
799500	3/8" x 3/8"	140379	5/8" x 3/8"
140374	3/8" x 1/2"	140384	5/8" x 1/2"
Straight Barb		Straight Barb	
140350	1/8" X 1/4"	698028	3/8" x 1/2"
140352	1/4" X 1/8"	140353	3/8" x 3/4"
698020	1/4" x 1/4"	140363	1/2" x 1/4"
698023	1/4" x 3/8"	140364	1/2" x 3/4"
698036	1/4" x 1/2"	140360	5/8" x 3/8"
140351	3/8" x 1/8"	140365	5/8" x 1/2"
698021	3/8" x 1/4"	140366	5/8" x 3/4"
698024	3/8" x 3/8"		



Barb x Honda Oil Drain

Part No.	Barb x MPT
830588	1/4" x Honda Oil Drain

Part No.	Steel Barb x MPT
698031	3/4" x 1/2"
698034	3/4" x 3/4"
698025	1/2" x 3/8"
698029	1/2" x 1/2"

Push-N-Lock Barbs



Part No.	Description
Barb x MPT	
140252	1/4" x 1/8"
140254	1/4" x 1/4"
140255	1/4" x 3/8"
140256	3/8" x 1/8"
140257	3/8" x 1/4"
140258	3/8" x 3/8"
140259	3/8" x 1/2"
140260	3/8" x 3/4"
140261	1/2" x 1/4"
798976	1/2" x 3/8"
798977	1/2" x 1/2"
140264	1/2" x 3/4"
140265	5/8" x 3/8"
140266	5/8" x 1/2"
140267	5/8" x 3/4"
799413	3/4" x 1/2"
698034	3/4" x 3/4"
Barb x Barb	
140200	1/4" x 1/4"
140204	3/8" x 3/8"
140208	1/2" x 1/2"
140210	5/8" x 5/8"
140212	3/4" x 3/4"
Barb x JIC Swivel - Female	
799490	1/4" x 1/4"
644602	3/4" x 3/4"



Barb x Barb



Barb x JIC Swivel

Swivel Hose Barbs - Low Pressure



- 300 PSI
- 210°F
- Brass MPT base with steel hose barb
- Swivel easily at low pressure to eliminate twists and tangles in chemical or water lines

Part No.	Description
140079	1/4" x 1/4"
140081	3/8" x 3/8"
140083	1/2" x 1/2"

Orificed Hose Barb



- Inexpensive way to create suction on inlet side of pump
- Used in-line from float tank to pump
- One-piece machined brass
- 3/8" MPT x 5/8" barb
- Standard orifice 5/32" – Drill up to 3/8" to fit your need

Part No.	Description
140320	Orificed Hose barb

Drain Cocks



Part No.	Description
140125	1/4" Fuel Drain w/Tee Handle
140127	1/4" Fuel Drain w/Barb & Tee Handle

Hex Head Plugs



Part No.	Description
140802	1/8"
140804	1/4"
140806	3/8"
140808	1/2"
140810	3/4"

Hex Socket Head Plugs



Part No.	Description
140802A	1/8"
140804A	1/4"
140806A	3/8"
140808A	1/2"

Pipe Thread Hex Nuts



Part No.	Description
140062	1/8"
140064	1/4"
140065	3/8"
140067	1/2"
140070	3/4"

Garden Hose Fittings

- MGH = Male Garden Hose
- FGH = Female Garden Hose
- Heavy-duty Machined Brass Fittings



140056



140054



331040



140015



140038



140303

Part No.	Description
----------	-------------

Swivel Fittings

140050	3/4" FGH x 1/4" MPT
801126	3/4" FGH x 3/8" MPT
801139	3/4" FGH x 1/2" MPT
801121	3/4" FGH x 1/2" FPT (S-1)
722864	3/4" FGH x 3/4" FPT (S-2)
140055	3/4" FGH x 3/4" FPT (S-3)
140002	3/4" FGH x 1/2" Barb
140004	3/4" FGH x 5/8" Barb
140006	3/4" FGH x 3/4" Barb

Garden Hose Quick Couplers

331040	Female Hose Coupler
331140	Male Hose Plug

Garden Hose Accessories

856035	Strainer with Gasket
140015	Filter Screen Washer (30 mesh)

Solid Fittings

140036	3/4" MGH x 3/8" MPT
600242	3/4" MGH x 1/2" MPT
722855	3/4" MGH x 3/4" MPT
140028	3/4" FGH x 1/2" FPT
140030	3/4" FGH x 3/4" FPT
140032	3/4" FGH x 1/2" MPT
140034	3/4" FGH x 3/4" MPT
140026	3/4" FGH X 3/4" FGH (SS)

Hose Barb Fittings

140301	3/8" Barb x 3/4" MGH
140303	1/2" Barb x 3/4" MGH
140305	5/8" Barb x 3/4" MGH
140307	3/4" Barb x 3/4" MGH
140317	3/8" Barb x 3/4" FGH
140319	1/2" Barb x 3/4" FGH
140321	5/8" Barb x 3/4" FGH
140323	3/4" Barb x 3/4" FGH

Teflon® Thread Sealing Tape



- Big 1/2" x 520' roll
- Mil - spec #T27730

Part No.	Description
952791	Thread Sealing Tape

COUPLERS, FITTINGS & FILTERS

Zinc Plated Heavy Wall Steel Pipe Fittings

- Up to 6000 PSI working pressure (18000 PSI burst)
- Attractive zinc-plated protective coating
- US standard taper pipe threads

Adapters



Part No.	MPT x FPT	PSI
142404	1/4" x 1/4"	6000
142405	1/4" x 3/8"	6000
600260	3/8" x 1/4"	6000
142406	3/8" x 3/8"	6000
142407	3/8" x 1/2"	5000
142408	1/2" x 1/2"	5000
142409	1/2" x 3/4"	4000
142412	3/4" x 3/4"	4000

Coupling Hex



Part No.	FPT x FPT	PSI
142415	1/4" x 1/4"	6000
142417	3/8" x 3/8"	6000
142420	1/2" x 1/2"	5000
142422	3/4" x 3/4"	5000

Reducing Couplings

626147	1/4" x 1/8"	4000
142416	3/8" x 1/4"	6000
826241	3/8" x 1/2"	3000
626150	1/2" x 3/8"	5000
142419	1/2" x 1/4"	5000
626148	3/4" x 1/4"	4000
626182	3/4" x 1/2"	3000
626153	3/4" x 1/2"	4000

Hex Nipple



Part No.	MPT x MPT	PSI
801074	1/4" x 1/4"	6000
142427	3/8" x 3/8"	6000
142430	1/2" x 1/2"	6000
142434	3/4" x 3/4"	6000

801102	3/8" x 1.45	7000
142426	3/8" x 1/4"	6000
142428	1/2" x 1/4"	6000
142429	1/2" x 3/8"	6000
142431	3/4" x 1/2"	6000

JIC Nipple



Part No.	Description	PSI
898111	1/2" x 3/8" FPT	5000
799515	1/4" x 3/8" MPT	4500

Close Nipple



Part No.	Description
697930	1/4" Sched 80
697931	3/8" Sched 80
697932	1/2" Sched 80

Street Elbow



Part No.	MPT x FPT	PSI
644750	1/4" x 1/4"	4000
644801	1/4" x 1/4"	5000
142439	1/4" x 3/8"	4500
644752	3/8" x 3/8"	4000
644802	3/8" x 3/8"	4500
644708	3/8" x 1/2"	3000
644756	1/2" x 1/2"	4000
644806	1/2" x 1/2"	4800
142443	1/2" x 3/4"	3000
142444	3/4" x 3/4"	3000

Elbow - 90°



Part No.	FPT x FPT	PSI	Part No.	FPT x FPT	PSI
142504	1/4" x 1/4"	5000	142509	1/2" x 3/4"	4000
142505	1/4" x 3/8"	4500	644761	3/4" x 3/4"	4000
644622	3/8" x 3/8"	4000	142506	3/8" x 3/8"	4500
644751	3/8" x 3/8"	4500	45° Elbow		
142507	3/8" x 1/2"	3000	644755	1/2" x 1/4"	4500
644624	1/2" x 1/2"	4000	90° Elbow MPT x MPT		
644626	1/2" x 1/2"	4800	722826	3/8" x 3/8"	4000

Street Tee



Part No.	MPT x FPT x MPT	PSI
891144	1/4"	5000
954718	3/8"	4500
890849	1/2"	3000
142687	3/4"	3000

Tee - 3 Connects



Part No.	FPT	PSI	Part No.	FPT	PSI
754699	1/4"	4000	754717	1/2"	3000
142654	1/4"	5000	754709	1/2"	4000
754711	3/8"	4500	954710	3/4"	3000

Cross - 4 Connects



Part No.	FPT	PSI	Part No.	FPT	PSI
142664	1/4"	5000	142668	1/2"	3000
890789	3/8"	4500	722808	3/4"	3000

Reducing Bushing - 6000 PSI



Part No.	MPT x FPT	Part No.	MPT x FPT
615277	1/4" x 1/8"	615291	3/4" x 3/8"
615279	3/8" x 1/4"	615293	3/4" x 1/2"
615283	1/2" x 1/4"	615297	1" x 3/4"
815220	1/2" x 3/8"		

Hex Pipe Plugs - 6000 PSI



Part No.	Size	Part No.	Size
142701	1/4"	142703	1/2"
142702	3/8"	142704	3/4"

Pipe Nipple - Zinc



Part No.	Length x MPT	PSI
142800	2" x 1/4"	6000
142801	3" x 1/4"	6000
142802	4" x 1/4"	6000
142803	2" x 3/8"	6000
142804	3" x 3/8"	6000
142805	4" x 3/8"	6000
142806	2" x 1/2"	6000

Part No.	Length x MPT	PSI
142807	3" x 1/2"	6000
142808	4" x 1/2"	6000
142808T	5" x 1/2"	6000
142810	2" x 3/4"	6000
142811	3" x 3/4"	6000
142812	4" x 3/4"	6000
142813	6" x 3/4"	6000

Galvanized Pipe Fittings

- Pressed steel fittings - external galvanized for excellent chemical resistance
- Ideal for supply line (city water pressure) applications (working pressure rating 125 PSI)

NOT recommended for high pressure piping applications

Pipe Street Elbows



Part No.	MPT x FPT	Part No.	MPT x FPT
142604	1/4"	142608	1/2"
142606	3/8"	142610	3/4"

90° Elbows



Part No.	FPT	Part No.	FPT
142552	1/4"	142558	1/2"
142556	3/8"	142560	3/4"

Pipe Tees



Part No.	FPT	Part No.	FPT
142854	1/4"	142858	1/2"
142856	3/8"	142868	3/4"

Pipe Couplings



Part No.	Description	Part No.	Description
626208	1/4" Sched 40	626211	1/2" Sched 40
626210	1/4" 3000# wp	626243	1/2" 3000# wp
626209	3/8" Sched 40	626212	3/4" Sched 40
626237	3/8" Sched 80	626231	3/4" Sched 80
631027	3/8" 6000# wp		

Banded Coupling



Part No.	FPT	Part No.	FPT
142754	1/4"	142758	1/2"
142756	3/8"	142760	3/4"

Side Outlet Elbow



Part No.	Description
644700	3/8" Sched 40
644701	1/2" Sched 40

Pipe Nipples - Galvanized



Part No.	Description	Part No.	Description
698194	1/4"x2" Sched 40	698246	1/2"x2" Sched 40
698216	3/8"x1/2" Sched 40	698241	1/2"x2-1/2" Sched 40
698217	3/8"x2" Sched 40	698247	1/2"x2" 7000# wp
698245	1/2"x1/2" Sched 80	698256	1/2"x4-1/2" 3000# wp
698243	1/2"x1-1/2" Sched 40		

"The Big One"



Larger, heavier, and with more filtering area than competitors' filters



- Corrosion-resistant plastic
- Stepped 1/4" & 3/8" hose barb
- Weighted to hold onto bottom of tank

Part No.	Description	Part No.	Description
875748	w/ Check Valve	340026	w/o Check Valve

Brass Chemical Filter



50 mesh stainless steel screen. Removable mesh for easy cleaning. Heavy-duty one-piece brass body holds the filter on the bottom of tank.



Part No.	Description
2-1905	With Check Valve
2-1907	Without Check Valve

- 1/4" hose barb
- Stainless steel check ball

Plastic Chemical Strainer



Polypropylene and Brass Construction

Part No.	Description
875748	w/Check Valve
875582	w/o Check Valve

- 7mm hose barb

Chemical Line with Filter



Part No.	Description
Brass Filter	
340022X	w/ Check Valve
340023X	w/o Check Valve
Plastic Filter	
340024X	w/ Check Valve
340027X	w/o Check Valve

- 6 foot long, 1/4" clear vinyl tubing

Green-Cap Inline Filter



The Original Green-Cap!



- 6 GPM max flow
- 40 mesh stainless screen
- Diecast metal housing/ plastic cap
- 1/2" FPT inlet
- 1/2" MPT outlet
- Two 1/4" side ports
- 145 PSI max pressure

Part No.	Description
677018	Green Cap Filter
725869	Replacement Screen
725868	Replacement Cap
726178	O-Ring, Green Cap

All Metal Inline Filter



- Die-cast aluminum body and cover
- 38 mesh screen
- 170 PSI
- 195°F
- 6.6 GPM
- 1/2" Female x Male

Part No.	Description
342030	Black Anodized Finish
851079	Intake Water
109343	Replacement Filter

Heavy-Duty Inline Filters



- 1/2" Female x Male
- 50 mesh screen
- 8 GPM
- 145 PSI
- 140°F
- Unbreakable reinforced nylon cap

Part No.	Description
342026	Filter
875048	With Auxiliary (bypass) Port
109941	Replacement Filter

Clear Bowl Filters



- Low profile style
- MPT inlet & outlet
- White nylon body
- Clear bowl
- Stainless steel screen
- L 3", W 1-3/4", H 2-3/8"

Part No.	Description
342012	1/4", 40 Mesh Screen
342013	1/4", 80 Mesh Screen
342014	3/8", 40 Mesh Screen
342015	3/8", 80 Mesh Screen
342016	1/2", 40 Mesh Screen
342017	1/2", 80 Mesh Screen
078214	80 Mesh Replacement Scrn
078215	40 Mesh Replacement Scrn

Inline Can-Type Filters & Parts



- 40 or 80 mesh filtration
- Heavy-duty molded plastic with stainless steel screen
- Hanger tab standard on 3/8", 1/2" and 3/4"
- Choose black or clear filter cans

Part No.	Description
40 Mesh Filters	
342105	Black, 3/8"
342110	Black, 1/2"
342115	Black, 3/4"
342120	Black, 1"
342150	Black, 1-1/4"
342155	Black, 1-1/2"
342106	Clear, 3/8"
342111	Clear, 1/2"
342116	Clear, 3/4"
342123	Clear, 1"
342151	Clear, 1-1/4"
342156	Clear, 1-1/2"

Part No.	Description
80 Mesh Filters	
342112	Black, 1/2"
342117	Black, 3/4"
342122	Black, 1"
342158	Black, 1-1/4"
342147	Black, 1-1/2"
342113	Clear, 1/2"
342118	Clear, 3/4"
342125	Clear, 1"
342159	Clear, 1-1/4"
342149	Clear, 1-1/2"

Part No.	Description
Inline Can-Type Filter Parts - 3/8", 1/2", 3/4"	
078202	Gasket
078204	Viton Gasket
078207	Bowl - Standard Black
078208	Bowl - Clear
078216	40 Mesh Screen
078220	80 Mesh Screen
078223	3/8" Top with Tab
078224	1/2" Top with Tab
078225	3/4" Top with Tab

Part No.	Description
Inline Can-Type Filter Parts - 1", 1-1/4", 1-1/2"	
078203	Gasket
078205	Viton Gasket
078217	40 Mesh Screen 1"
078233	40 Mesh Screen 1-1/4"
078234	40 Mesh Screen 1-1/2"
078221	80 Mesh Screen 1"
078237	80 Mesh Screen 1-1/4"
078238	80 Mesh Screen 1-1/2"
078226	1" Filter Top
078227	1-1/4" Filter Top
078228	1-1/2" Filter Top
078230	Bowl Black - 1", 1-1/4", 1-1/2"
078231	Bowl Clear - 1", 1-1/4", 1-1/2"

Inline ClearView Filter



347091

347092

347093

- Clear plastic cover
- Integrated garden hose connector
- 8 GPM, 150 PSI
- Strongest see-through filter on the market

Part No.	Inlet	Outlet	Bypass
347091	3/8" MPT	3/4" GH	N/A
347093	3/8" MPT	3/4" GH	1/4"
347090	1/2" MPT	3/4" GH	N/A
347092	1/2" MPT	3/4" GH	1/4"

Y-Trap Strainer



- Brass bodies & cap
- FPT inlet & outlet
- Stainless steel 50 mesh cylinder screen
- 170 PSI
- 194°F

Part No.	Description
342004	1/4"
342006	3/8"
342007	1/2"
342008	3/4"
342009	1"

(Replacement Screen/Gasket Kits Available)

Check / Foot Valve

Includes backflow check and perforated screen, prevents damage to pump or control valves.



- Removable stainless steel screen
- Spring-loaded check valve
- Cast brass bodies
- FPT outlet

Part No.	Description
310882	1/2" Foot Valve/ Check & Screen
310883	3/4" Brass Spring Check Valve
310884	1" Brass Spring Check Valve
310886	1-1/2" Brass Spring Check Valve
310888	2" Brass Spring Check Valve

ST35 / 35R Suction Foot Valve



- Stainless steel screen
- Combination 1/2" / 3/4" hose barb
- Weighted to hold at bottom of tank or source

Part No.	Description
342021	With Check Valve
342020	Without Check Valve
961527	Foot Valve with 1/4" Check Valve

Tank Screen / Strainer



- Stainless steel screen – 40 or 50 mesh
- PVC base – attaches to nipple or tubing
- Use for tank drain or chemical line

Part No.	Mesh	FPT
935160	50	1/4"
935165	50	3/8"
342307	40	1/2"
935168	50	1/2"
342311	40	3/4"
935169	50	3/4"
935172	40	1"
342320	40	1-1/2"

High Pressure Nozzle Filters

Turbo Nozzle Protector.



- 1/4" MPT outlet
- 300°F
- 100 mesh screen
- 5000 PSI

Part No.	Material	Inlet	Outlet
676973	Brass	1/4" FPT	1/4" MPT
342042	Brass	1/4" QC	1/4" MPT
799602	416 SS	1/4" QC	1/4" MPT
347098	Brass	1/4" MPT	1/4" MPT

High Volume Filter & Parts

Molded Plastic Housing



- 3/4" FPT inlet & outlet
- 125 PSI
- 12 GPM at 50 Micron
- 10 GPM at 5 or 20 Micron
- Clear-View sump
- 14-1/2" tall x 5-1/2" port to port

Part No.	Description
342375	Housing Only
565375X	Mounting Bracket/Hardware



- Pleated polyester/polypropylene core
- Recommended for large flow, low pressure applications (up to 60 PSI)

Part No.	Description
Ultra Fine Filter Elements	
342380	5 Micron, 10 GPM
342382	20 Micron, 10 GPM
342384	50 Micron, 12 GPM



- Recommended for maximum filtration with reduced flow requirements (up to 130 PSI)

Part No.	Description
Synthetic String Wound Elements	
342387	5 Micron, 4 GPM
342389	20 Micron, 5 GPM
342391	50 Micron, 6 GPM

HOTSY Fuel Filter/ Water Separator



- Extends life of fuel system
- Clear sediment bowl and washable screen
- Drain valve
- Filters gasoline and diesel fuel

Part No.	Description
851084	Filter, Fuel/ Oil Water Separator
875490	Replacement Screen

Klemm Fuel Filters & Filter Parts



341006

- Chemistone microfilter
- (15 microns) elements
- Metal Bowl
- 1/4" FPT Inlet & Outlet
- Replace elements w/o tools

Part No.	Description
341006	JR60 w/o Inlet Valve w/metal bowl
341008	JR500GV w/ Inlet Valve w/metal bowl
341010	Element Replacement

Filter Parts

078102	Filter Element Gasket
078104	Filter Bowl Gasket
078106	Filter Screen
078108	Filter Bowl Retaining Cup
078112	Star Nut
078114	Filter Element Spring
078116	Wire Bowl Retainer Assy

Fuel Filters

Inline – disposable



341002



851124



676969

Part No.	Description
676969	1/4" In/Out, Plastic
341003	3/8" In/Out, Plastic
341002	1/4" In/Out, Metal
851124	Gasoline Filter, Steel Can, 1/4" Nipple

Fuel Filter/Water Separator



The "Max" Fuel System Protector



- 10 micron filtration
- Spin-on convenience
- Water separation chamber
- 1/4" FPT inlet/outlet
- Easy drain water/sediment bowl

Part No.	Description
341040	Complete Unit
341042	Element
078126	Metal Head
078127	Plastic Bowl

Racor Filter Funnel



- 3.9 GPM
- Teflon Coated, Stainless Steel Filter
- Separates free water and contaminants from gasoline/diesel/kerosene

Part No.	Description
341044	Filter Funnel

Clear Bowl Fuel Filter



- Aluminum Housing
- Clear Acrylic Bowl
- 120 Mesh SS Screen
- 1/4" x 1/4"

Part No.	Description
851080	Complete Unit
875490	Replcmnt Screen

General Fuel Filters



- Can type
- 10 GPH
- 10 micron filtration
- 1/4" FPT inlet/outlet
- Inexpensive replacement
- Wool felt element
- UL & CSA listed

Part No.	Description
851140	Filter Unit
851141	Element

Aquadene Water Treatment System



722452



722453

- Reduces scale build-up
- Controls corrosion
- Clears up red water

Part No.	Description
722452	Dispenser Housing without Cartridge
722453	Chem Cartridge, Treats 25,000 gal water